

AD 700

Doosan
Mecc Alte
D+' &''



ISO8528

GC ;) &-

SZUTEST

GC - \$\$\$%

CE

2000/14/EC

&\$\$\$#(#

z) \$' z'ž 'D:

	"	"	"	"	Amp
400/230	700,00	560,00	636,00	508,00	918,00

Standard Specifications

ALTERNATOR

D; A Ž'5JF

TRANSFER SWITCH

AD 700

Doosan
Mecc Alte
D+' &'

Manufacturer		Doosan		
Model		P222LE-S		
		%\$\$' "# "		
		*\$' " "		
		Q\$, <DQ		
	L	21,93		
	"	128 x 142		
		14,6:1		
	fl # ı	"# "	1500	
	fl ı	L	40,00	
		L	113,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	32,00		
	' # "	675		
fl ' # ı	' # "	94,00		
	° C	598		
		24 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "			
		130,00	99,80	68,30

		Mecc Alte		
		ECO 40-2L/4		
	Hz	50		
	"	680		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	981		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 700	4170	3700	1400	2200	900
		fl ı		fl ı	
	"	"	"	"	L
AK 85	5730	5800	1610	2550	1100

AD 700

Doosan
Mecc Alte
D+ &''

f@z@Bl
f@z@Bl

"z" "z" "z"

f@z@Bl

971

#

#

#

#

#

6G'9B '*\$-)\$

6G'9B '*\$\$\$!*!&

6G'9B '*\$\$\$!*!(

f&%) +L

f&)(, L

f&% \$L

GA 8

%, !&*\$

&(\$)

ž

ž

!&(

"

ž

AD 700

Doosan
Mecc Alte
D+ &''

5? ,) !'



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

fl \$\$\$! '%&\$\$' Ł

'&\$\$\$#%(/# "

	"	1610
fl "Ł	"	5800
fl "Ł	"	2550
		1100