

AD 770

Doosan
Mecc Alte
D+ &



ISO8528	GC,) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC &\$\$#(#
z) \$ z'z' D:

	"	"	"	"	Amp
400/230	770,00	616,00			

Standard Specifications

ALTERNATOR

TRANSFER SWITCH

AD 770

Doosan
Mecc Alte
D+' &'

Manufacturer		Doosan		
Model		P222LE-II		
		%\$\$' "# "		
		*) &' "		
		Q +(<DQ		
	L	21,93		
	"	128 x 142		
		14,0:1		
	fl # ı	"# "	1500	
	fl ı	L	40,00	
		L	125,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	40,30		
	' # "	700		
fl ' # ı	' # "	120,00		
	° C	635		
		24 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "			
		162,60	119,30	79,50


		Mecc Alte		
		ECO 40-VL/4		
	Hz	50		
	"	720		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	1039		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 770	4430	3700	1400	2200	900
		fl ı		fl ı	
	"	"	"	"	L
AK 85	5940	5800	1610	2550	1100

AD 770

Doosan
Mecc Alte
D+' &'

1 D+' &'



2

"8G9ž + ' &\$ž) 5ž&&\$#(\$

3

4

5

"8G9+' &\$ž &)' \$ ž " "8G9+' &\$ž "8G9+' &\$ž " " % &1 *(' " žFG&' &žFG(,) ž

AD 770

Doosan
Mecc Alte
D+ &''

5? ,) !'



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

1

fl \$\$\$! '%&\$\$' £

ž

ž

"

"

1

ž

ž

ž

ž

ž

'&\$\$\$#/(# "

	"	1610
fl "£	"	5800
fl "£	"	2550
		1100